

JUN 19 2008

251 North Avenue West, 2<sup>nd</sup> Floor  
Westfield, NJ 07090

**Mayer & Williams, PC**  
**Attorneys At Law**

# Fax

**To:** Commissioner for Patents

**From:** David Bonham  
(703) 433-0510

**Fax:** 571-273-8300

**Total pages:** 11

**Phone:**

**Date:** 6/19/2008

**Re:** In connection with Serial No. 10/645,814, please  
find enclosed an Amendment and Response to the  
non-final Office Action mailed March 19, 2008.

**CC:**

Sincerely,

David Bonham

☐ Urgent    ☐ For Review    ☐ Please Comment    ☐ Please Reply    ☐ Please Recycle

## **PRIVACY AND CONFIDENTIALITY NOTICE**

*The information contained in this communication is confidential and may be legally privileged. It is intended solely for the use of the individual or entity to whom it is addressed and others authorized to receive it. If you are not the intended recipient, you are hereby notified that any disclosure, copying, distribution or taking of any action in reliance on the contents of this information is strictly prohibited.*

*If you received this communication in error, please immediately notify us by a collect telephone call to the writer and return the original message and documents to us at the above address via the United States postal service.*

Serial No. 10/645,814

RECEIVED  
CENTRAL FAX CENTER  
JUN 19 2008

**IN THE UNITED STATES PATENT AND TRADEMARK OFFICE**

1<sup>st</sup> Named Inventor: Lucien A. Couvillon, Jr.

Serial No.: 10/645,814

Filed: 08/21/2003

Title: External counterpulsation device using electroactive  
polymer actuators

Art Unit: 3771

Examiner: Demille, Danton D.

Docket No.: 02-377

Confirmation No. 7877

VIA FACSIMILE 571-273-8300

Mail Stop Amendment

Commissioner for Patents

P.O. Box 1450

Alexandria, VA 22313-1450

**AMENDMENT AND RESPONSE TO OFFICE ACTION**

Responsive to the Office Action mailed March 19, 2008 in the above matter,  
please consider the following amendment and remarks.